

Symbol	Gene Name (Synonym)	Forward primer	Reverse primer
<i>Vdr</i>	<i>Vitamin D receptor</i>	5'-AGTCTGAGGCCCAAGCTGTC-3'	5'-GGAGACAGGTCCAGGGTCAC-3'
<i>Cxcl10</i>	<i>Chemokine (C-X-C motif) ligand 10</i> (Interferon-inducible protein-10, Ip-10)	5'-GATGACGGGCCAGTGAGAATGAG-3'	5'-CTGGGTAAAGGGGAGTGATGGAGA-3'
<i>Cxcl9</i>	<i>Chemokine (C-X-C motif) ligand 9</i> (Monokine induced by IFN-g, Mig)	5'-TCTTCCTGGAGCAGTGTGGA-3'	5'-GGCAGGTTTGATCTCCGTTTC-3'
<i>Cxcl16</i>	<i>Chemokine (C-X-C motif) ligand 16</i> (PS-PSOX, scavenger receptor that binds phosphatidylserine and oxidized lipoprotein)	5'-TTCCAGTTGCAGTCCAAAAG-3'	5'-GGTCTGGGTAAGTGGCTTGAG-3'
<i>Ccl5</i>	<i>Chemokine (C-C motif) ligand 5</i> (RANTES, regulated upon activation, normal T-cell expressed, and presumably secreted)	5'-ATGCATCTCCCACAGCCTCT-3'	5'-CGACTGCAAGATTGGAGCAC-3'
<i>Irf2</i>	<i>Interferon regulatory factor 2</i>	5'-CTACCGGATGCTGCCCTTAT-3'	5'-TGTTACCGTACTATCCACTTCATT-3'
<i>Ifi203</i>	<i>Interferon activated gene 203</i>	5'-GCAAAACGGCTGGGAAAA-3'	5'-CTGCTCCTGGGTGAGCTTCT-3'
<i>Ccr5</i>	<i>Chemokine (C-C motif) receptor 5</i>	5'-GGAGAACGCCCAATAAT-3'	5'-CAACACTGCTCCGAAACTGC-3'
<i>Tlr2</i>	<i>Toll-like receptor 2</i>	5'-AAGAGGAAGCCCAAGAAAGC-3'	5'-CGATGGAATCGATGATGTTG-3'
<i>Fcgr1</i>	<i>Fc receptor, IgG, high affinity I</i>	5'-TAGCATCCCAGAGGCCAGTT-3'	5'-TGGTAGATGCCGCTGTGACT-3'
<i>Fcgr3</i>	<i>Fc receptor, IgG, low affinity III</i>	5'-GCCTCAGCGACCCTGTAGAT-3'	5'-TTCCTCCAGCTATGGCACCT-3'
<i>Cybb</i>	<i>Cytochrom b-245</i> [used for real-time RT-PCR]	5'-GGAAGTGGGCTGTGAATGAA-3'	5'-GTTTCAGCCAAGGCTTCAGG-3'
<i>Actb</i>	<i>Beta-Actin, cytoplasmic</i>	5'-TACTGGCTGTGCAGGGACAC-3'	5'-GTTTCAGCCAAGGCTTCAGG-3'
<i>Rps9</i>	<i>Ribosomal protein S9</i>	5'-CCTGAACCCTAAGGCCAACCG-3'	5'-GCTCATAGCTCTTCTCCAGGG-3'
<i>Rps9</i>	<i>Ribosomal protein S9</i>	5'-CTGGACGAGGGCAAGATGAAGC-3'	5'-TGACGTTGGCGGATGAGCACA-3'
<i>Gapdh</i>	<i>Glyceraldehyde-3-phosphate dehydrogenase</i>	5'-TGGCCTTCCGTGTTCCCTACC-3'	5'-GGTCCTCAGTGTAGCCCAAGATG-3'